Data Sheet



Last modification

2022-10-04

ANDELA OYSQ-850 9329501048139



Overview

Family nameAndelaCategoriesOystersMountingSurfaceThis item includesDiffuser,GlassUsageIndoor Lighting

Color / Material

Fixture Color

Fixture Material

Canopy Color

Diffuser Material

Diffuser Color

Clear, Chrome, Frost

Metal, Crystal

White

Crystal

Clear, Frost

<u>Size</u>

Fixture Diameter (cm)35.0Fixture Length (cm)36.0Fixture Width (cm)36.0Fixture Height (cm)11.5Fixture Projection (cm)11.5

Specification

Voltage Input 240V Wattage (max) 30

Globe Type LED integrated SMD

Globe / Light Source qty 1 Globe / Light Source included Yes Lumens 2400 **Color Temperature** Cool White 5000k **Color Kelvin Color Rendering** >85 Dimmable Yes **Power Factor** >0.90

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet



Surge Protection Yes (1.5 Kva)

Beam Angle (degree) 120

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required Yes

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501048139

Image -dimensions





All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.







All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.