Data Sheet

2023-01-31

Last modification

BALLY PE 12-AGMB 9329501064108



The BALLY pendant is the essence of pure and simple lighting design. The sphere is mouth blown alabastro glass. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes.

<u>Overview</u>

Family name Categories Mounting This item includes Shade Shape	Bally Pendants Surface Glass,Suspension Round
Suspension Type	Cable
Usage	Indoor Lighting,Trade Selection
<u>Color / Material</u>	
Fixture Color	Antique Gold, Alabastro
Fixture Material	Glass,Metal
Canopy Color	Antique Gold
Glass Color	Alabastro
Glass Finish	Matte
Cable Color	Black
Cable Material	Textile
<u>Size</u>	
Fixture Diameter (cm)	30.0
Canopy Diameter (cm)	10.0
Canopy Projection (cm)	5.0
Glass Diameter	30.00
Glass Opening (cm)	11.5

200.0

Yes

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Suspension Length (cm)

Height Adjustable?

Telbix.

Data Sheet

Telbıx.

Specification


Voltage Input	240V
Wattage (max)	25
Globe Type	E27
Globe / Light Source qty	1
Globe / Light Source included	No
Dimmable	Globe Dependant
Beam Angle (degree)	360
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Assembly Required	No
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

<u>Barcode</u>

GTIN

9329501064108

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet

Telbıx.



All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Telbıx.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.