

Infinity-iD

DC 48"

Scandinavian style designed combining energy efficiency, durability & functionality.

F8010/101A
Wall Control



White

F8000/101A
Remote / Smart (via app)

F8010/202A
Wall Control



Black

F8000/202A
Remote / Smart (via app)



NEW

White /
Beechwood

F8000/121A
Remote / Smart (via app)



NEW

Black /
Spotted Gum

F8000/222A
Remote / Smart (via app)



White

F8001/101B
Remote / Smart (via app)
CCT Dimmable LED Light



Black

F8001/202B
Remote / Smart (via app)
CCT Dimmable LED Light



NEW

White /
Beechwood

F8001/121B
Remote / Smart (via app)
CCT Dimmable LED Light



NEW

Black /
Spotted Gum

F8001/222B
Remote / Smart (via app)
CCT Dimmable LED Light

48"
1220mm

RECOMMENDED
CHOICE
December 2021

8
Year

8 Year
Motor Warranty
2 year in home
+ 6 year motor
replacement



Technical Data

Install Location:	Indoor / Outdoor* & Coastal
Motor Type:	DC
Blade Material:	ABS Plastic
Operation:	Wall Control SMART/Remote Remote frequency 2.4 GHz

Reversible SMART/Remote:	Yes
Reversible Wall Control:	No
Ceiling Mount Angle:	0-7°
Blade Pitch:	12°
Timer:	1-9 Hour

About the CCT LED Light



3000k	4200k	5000k
1300 Lumens	1600 Lumens	1500 Lumens

LED Light has CCT & Dimming level memory, turn your fan off / on and the same light settings will be retained

Light Type:	LED (18w)
Dimmable:	Yes (8 Steps)

SP13-MK001 - User Replaceable LED Light Panel. Plug in LED panel can be replaced without an electrician.



Performance - Remote / SMART



Speed	Motor Wattage	RPM	Airflow
1	3.2	60	3,240
2	4.2	94	4,553
3	6.1	129	5,861
4	9.1	163	7,056
5	13.5	197	8,129
6	20.2	230	9,409



Airflow measured in m3/hr

Performance - Wall Control



Speed	Motor Wattage	RPM	Airflow
1	4.3	90	4,453
2	5.7	118	5,646
3	7.6	146	6,259
4	10.6	175	7,542
5	15	203	8,367
6	21.3	230	9,411

Dimensions



Extension Rods

K500M/109A
White 900mm

K500M/209A
Black 900mm

K500M/115A
White 1500mm

K500M/215A
Black 1500mm

Infinity-iD

DC 54"

Scandinavian style designed combining energy efficiency, durability & functionality.

F8020/101A
Wall Control



White

F8030/101A
Remote / Smart (via app)

F8020/202A
Wall Control



Black

F8030/202A
Remote / Smart (via app)



NEW

White /
Beechwood

F8030/121A
Remote / Smart (via app)



NEW

Black /
Spotted Gum

F8030/222A
Remote / Smart (via app)



White

F8031/101B
Remote / Smart (via app)
CCT Dimmable LED Light



Black

F8031/202B
Remote / Smart (via app)
CCT Dimmable LED Light



NEW

White /
Beechwood

F8031/121B
Remote / Smart (via app)
CCT Dimmable LED Light



NEW

Black /
Spotted Gum

F8031/222B
Remote / Smart (via app)
CCT Dimmable LED Light



54"
1370mm

64"
1620mm

Due late
2023

RECOMMENDED
CHOICE
December 2021

8
Year
8 Year
Motor Warranty
2 year in home
+ 6 year motor
replacement

Technical Data

Install Location:	Indoor / Outdoor* & Coastal
Motor Type:	DC
Blade Material:	ABS Plastic
Operation:	Wall Control SMART/Remote Remote frequency 2.4 GHz

Reversible SMART/Remote:	Yes
Reversible Wall Control:	No
Ceiling Mount Angle:	0-7°
Blade Pitch:	12°
Timer:	1-9 Hour

About the CCT LED Light



3000k 1300 Lumens	4200k 1600 Lumens	5000k 1500 Lumens
----------------------	----------------------	----------------------

LED Light has CCT & Dimming level memory, turn your fan off / on and the same light settings will be retained

Light Type:	LED (18w)
Dimmable:	Yes (8 Steps)

SP13-MK001 - User Replaceable LED Light Panel. Plug in LED panel can be replaced without an electrician.



Performance - Remote / SMART



Speed	Motor Wattage	RPM	Airflow
1	3.4	60	3,420
2	4.6	88	4,644
3	6.8	116	6,049
4	10	145	7,02
5	15.2	174	8,641
6	22.5	200	10,801



Airflow measured in m3/hr

Performance - Wall Control



Speed	Motor Wattage	RPM	Airflow
1	5	90	4,631
2	6.4	112	5,934
3	8.7	135	6,796
4	12	157	7,298
5	16.4	179	8,743
6	23	200	10,859

Dimensions



Extension Rods

K500M/109A
White 900mm

K500M/209A
Black 900mm

K500M/115A
White 1500mm

K500M/215A
Black 1500mm