Data Sheet



Last modification

2023-01-16

KENDALL PE3-BK 9329501049716



Overview

Family nameKendallCategoriesPendantsMountingSurfaceThis item includesSuspensionSuspension TypeChain

Usage Indoor Lighting

Color / Material

Fixture Color Black
Fixture Material Metal
Canopy Color Black
Glass Finish Matte

Size

Fixture Diameter (cm)28.0Fixture Height (cm)36.0Canopy Diameter (cm)12.0Canopy Projection (cm)2.5

Specification

Voltage Input 240V
Wattage (max) 25
Globe Type E14
Globe / Light Source qty 3
Globe / Light Source included No

Dimmable Globe Dependant

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Approvals RCM
Assembly Required Yes

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet



Care Instructions
Replacement Warranty

Do not use strong liquid cleaners, Wipe clean with a dry cloth


*3 Years

<u>Barcode</u>

GTIN

9329501049716

Image -dimensions







All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

3