Data Sheet

Last modification

2021-10-25

Telbıx.

KMAN EX2-BK 9329501056400



The understated cylinder wall lamp offers a subtle and refined design. Brighten surrounding areas for convenience or highlight feature walls. The aluminium tube is wall mounted with the integrated box section mounting base. Available as one light or two light up / down and powder coat finished in Black, Silver or White. Led GU10 globes are purchased separately and available as either warm, natural or cool white.

Overview

Family name Item Type Mounting	kman Exterior (EX) Surface	
<u>Color / Material</u>		
Shade Colour Black		
Shade Material	Metal	
Size		
Fixture Diameter (cm)	65.0	
Fixture Length (cm)	6.8	
Fixture Height (cm)	160.0	
Fixture Projection (cm)	95.0	
Canopy Length (cm)	5.0	
Canopy Width (cm)	7.0	
Canopy Projection (cm)	4.0	
<u>Specification</u>		
Voltage Input	240V	
Wattage (max)	12	
Globe Type	GU10	

Wattage (max)	12
Globe Type	GU10
Globe / Light Source qty	2
Globe / Light Source included	No
IP rating	IP54

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.


Data Sheet

<u>Barcode</u>

GTIN

9329501056400

Image -dimensions



Globe Type Recommended

Label	Color Temperature	Thumbnail	GTIN
GL GU10LEDFW6-83	Warm White		9329501056233

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Telbix.

Data Sheet

Telbıx.







All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.