

Last modification

2021-07-20

LUC.G8-AL83-826

9329501054666



The LUC G series is a recessed inground LED luminaire.

The modern design is small and discreet but bright and can therefore optimally illuminate and set the scene for walkways, gardens, and terraces. Directed the light upwards to create an atmospheric highlight on walls or sculptures. It blends flush into the ground and is simple, functional, and available in 3 sizes.

With an operating voltage of 8~26 volt and a water-protected rating of IP65, it is a versatile and safe lighting solution for outdoor areas. Other fixtures in the LUC series can be combined to form a complete outdoor space solution.

A 12 or 24 volt AC transformer is recommended to power up this fixture.

Overview

Family name	Luc
Item Type	Inground Light (G)
Mounting	Recess

Color / Material

Fixture Color 1	Aluminium
Diffuser Colour	Clear
Diffuser Material	Glass

Size

Fixture Diameter (cm)	7.5
Fixture Height (cm)	9.2

Specification

Voltage Input	240V
Wattage (max)	8
Wattage	8W
Globe Type	LED integrated COB
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	700
Color Kelvin	3000k
Color Rendering	>84

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Dimmable	No
Beam Angle	36
IP rating	IP65
Warranty	3 Years

Barcode

GTIN 9329501054666

Pricing

PRICE - RRP incGST 69.0

Image -dimensions



