Data Sheet



Last modification

2021-11-10

LUC PT3-BK83-826 9329501052020



The LUC post light is a down beam LED luminaire.

The mini bollard-style lamp is simple and functional. It consists dome-shaped shade, fitted with LEDs on the underside, whose light is emitted downwards. Ideal for illuminating footpaths and access ways and perfect for front gardens, green spaces and flowerbeds. With an operating voltage of 8~26 volt and a water-protected rating of IP65 it is a versatile and safe lighting solution for outdoor areas. Other fixtures in the LUC series can be combined to form a complete out door space solution. A 12 or 24 volt AC transformer is recommended to power up this fixture.

Overview

Family name Luc
Categories Post Lights
Mounting Recess

Usage Outdoor Lighting,Trade Selection

Color / Material

Diffuser Material Polycarbonate

Diffuser Color Frost

<u>Size</u>

Fixture Diameter (cm) 13.0 **Fixture Height (cm)** 76.0

Specification

Voltage Input 8~26V Wattage (max) 3

Globe Type LED integrated COB

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 280
Color Kelvin 3000k
Color Rendering >84
Dimmable No
IP rating IP65

Data Sheet




Warranty 3 Years


<u>Barcode</u>

GTIN 9329501052020

Image -dimensions



Telbix.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.