

Last modification

2021-07-20

**LUC SP3-BK83-826**

**9329501054284**



The LUC spike is a directional spot LED luminaire.

This flexible lamp is simple, functional, and available in 3 sizes. Its alignment can be easily adjusted with the flexible swivel. The LUC spike is the ideal choice for highlighting trees, flower beds, facades, sculptures, etc. in all outdoor areas in the dark. With an operating voltage of 8~26 volt and a water-protected rating of IP65, it is a versatile and safe lighting solution for outdoor areas. Other fixtures in the LUC series can be combined to form a complete outdoor space solution.

A 12 or 24 volt AC transformer is recommended to power up this fixture.

## Overview

<b>Family name</b>	Luc
<b>Item Type</b>	Post Light (PL)
<b>Mounting</b>	Recess

## Color / Material

<b>Fixture Color 1</b>	Black (BK)
<b>Diffuser Colour</b>	Clear
<b>Diffuser Material</b>	Glass

## Size

<b>Fixture Diameter (cm)</b>	3.3
<b>Fixture Height (cm)</b>	36.0

## Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	3
<b>Wattage</b>	3W
<b>Globe Type</b>	LED integrated COB
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	280
<b>Color Kelvin</b>	3000k
<b>Color Rendering</b>	>84
<b>Dimmable</b>	No

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

**Beam Angle** 45  
**IP rating** IP65  
**Warranty** 3 Years

Barcode

**GTIN** 9329501054284

Pricing

**PRICE - RRP incGST** 47.0

Image -dimensions



