### **Data Sheet**



Last modification

2021-10-22

# MARVIN PE1R-BKGD 9329501059401



The Marvin 1 pendant is round opposing shapes framing the recommended old school pilot LED globes. The shapes are fixed to a long cylinder and suspended by cable. The ceiling canopy is round with contrasting bright metal discs.

#### Overview

Family nameMarvinItem TypePendants (PE)MountingSurfaceSuspension TypeCable

#### Color / Material

Fixture Color 1 Black
Fixture Colour 2 Gold
Shade Material Metal
Cable Colour Black
Cable Material PVC

### <u>Size</u>

Fixture Diameter (cm)20.0Fixture Height (cm)38.0Canopy Diameter (cm)10.0Canopy Projection (cm)2.5Suspension Length (cm)200.0

#### **Specification**

Voltage Input240VWattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNoIP ratingIP20

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

## **Data Sheet**



**Care Instructions** Do not use strong liquid cleaners, Wipe clean with a dry cloth


Warranty 3 Yea

**Globe type recommended** E27 - GL FRF4LEDE27-83,E27 - GL FRF4LEDE27-85


Barcode

**GTIN** 9329501059401

#### **Image -dimensions**



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.