Data Sheet



Last modification

2021-12-07

ODESSA CTC60-WH 9329501060339



The Odessa is a classic, extravagant close to ceiling fixture. Embossed lass leaves are hand screen printed and draped with clear optic crystal shapes. The stainless steel ceiling plate reflects the light source to provide a spectacular lighting effect. Available in 2 sizes.

Overview

Family name Odessa

Categories Close to Ceilings

MountingSurfaceThis item includesGlass

Usage Indoor Lighting

By Room Bedroom, Kitchen, Living Room, Office

Color / Material

Fixture Color Chrome,Crystal,Frost
Fixture Material Glass,Stainless Steel

Canopy ColorWhiteDiffuser MaterialGlassGlass ColorCrystal

Size

Fixture Diameter (cm)60.0Fixture Projection (cm)42.5Canopy Diameter (cm)55.0Canopy Projection (cm)2.5Glass Diameter60.00Glass Height (cm)40.0

Specification

 Voltage Input
 240V

 Wattage (max)
 280

 Wattage
 28

 Globe Type
 G9

Data Sheet



Globe / Light Source qty 10
Globe / Light Source included No

Dimmable Globe Dependant

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Approvals AS/NZ 3000
Assembly Required Yes

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Warranty 3 Years

<u>Barcode</u>

GTIN 9329501060339

Image -dimensions



Also available as

Label	Thumbnail	GTIN
ODESSA CTC40-WH	EAST CONTRACTOR	9329501060322

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.









All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.