## **Data Sheet**



Last modification

2022-09-16

## ONETA PE05-WHCL 9329501063002



Elegance and charm, describes the Oneta family of lighting fixtures. A marble look sphere houses a precise optical faceted dome to provide a modern luxury exclusive look. The pendants are available as 1, 4 bar, 5 or 10 light cluster. Complimentary pieces also include wall, table and floor lamps.

#### Overview

Family nameOnetaCategoriesPendantsMountingSurfaceShade ShapeRoundSuspension TypeCable

**Usage** Indoor Lighting

#### Color / Material

Fixture Color White Marble, Antique Gold, Clear

Fixture Material Iron,Acrylic
Canopy Color White
Diffuser Material Acrylic
Diffuser Color Clear
Cable Color White
Cable Material Textile

#### Size

Fixture Diameter (cm) 37.0

Fixture Height (cm) 20.0

Canopy Diameter (cm) 30.0

Canopy Projection (cm) 2.5

Shade Diameter (cm) 11.0

Suspension Length (cm) 300.0

Height Adjustable? Yes

#### **Specification**

Voltage Input 240V

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

### **Data Sheet**



30 Wattage (max) Wattage 6 **Globe Type** G9 Globe / Light Source qty 5 Globe / Light Source included No IP rating IP20 Lead and Plug No **Approvals** RCM **Assembly Required** Yes

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Warranty \*3 Years

**Barcode** 

**GTIN** 9329501063002

#### **Image -dimensions**



Note: Dimensions are only a guide and may vary due to manufacturing variations.

# Telbix.









All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.