### **Data Sheet**

Last modification

2021-09-20

# Telbıx.

### PARADIS PE251-CH 9329501055731



The Paradis Round crystal collection makes an opulent statement with lavish crystals and glowing LED light. Dramatic baskets and waterfalls of hand-polished crystal bowtie clusters with sparkling teardrops suspend from the ceiling, shimmering light through each strand. The fixture is pre-trimmed with the crystal strands of fixed lengths, mounted to a precision-cut stainless steel ceiling plate.

#### Overview


Family name Item Type Mounting Suspension Type Usage	PARADIS Pendants (PE) Surface Break Wire Interior
<u>Color / Material</u>	
Fixture Color 1 Fixture Material	Chrome Stainless Steel
Size	
Fixture Diameter (cm)	60.0
Fixture Height (cm)	251.0
Canopy Diameter (cm)	55.0
Canopy Projection (cm)	8.0
<u>Specification</u>	
Voltage Input	240V
Wattage (max)	6
Globe Type	GU10
Globe / Light Source qty	9
Globe / Light Source included	No
IP rating	IP20
Assembly Required	Yes
Installation Required	Yes (by Licensed Electrician only)

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation. <u>Barcode</u>

GTIN

9329501055731

Image -dimensions




All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

## Telbıx.

### **Data Sheet**

## Telbıx.





All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.