### **Data Sheet**



Last modification

2023-01-17

## PARKER PE9-WH 9329501051665



The PARKER is a very sleek contemporary pendant. Constructed from CNC aluminum the bullet-styled body is trimmed with a low glare hood encapsulating the integrated LED light source. Available in 2 sizes and 2 colors, this cool pendant is ideal for kitchen benchtops or bistro seating areas.

#### Overview

Family nameParkerCategoriesPendantsMountingSurfaceThis item includesSuspensionSuspension TypeCable

**Usage** Indoor Lighting

#### Color / Material

Fixture Color White
Canopy Color White
Cable Color Clear
Cable Material PVC

#### Size

Fixture Diameter (cm)9.0Fixture Height (cm)15.0Canopy Diameter (cm)8.0Canopy Projection (cm)3.5

#### **Specification**

Voltage Input 240V Wattage (max) 10

Globe Type LED integrated COB

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 900

Color Temperature Warm White

### **Data Sheet**



Color Kelvin3000kColor Rendering>84DimmableYesPower Factor>0.90

Control Gear Included Yes-integrated

**Electrical Protection** CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)

Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty \*3 Years

**Barcode** 

**GTIN** 9329501051665

#### **Image -dimensions**



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

### **Data Sheet**

# Telbix.





All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.