Data Sheet



Last modification

2021-08-26

RENE TL20-BL+AG 9329501057407



The Rene accent series is quite the style show. It's a warmer artisan interpretation of the industrial style. The angular sculpted art glass is semi-translucent to showcase the mechanics of a filament globe, while the metalware design is no-frills to keep the look streamlined and sleek. Available as a single pendant or table lamp. Glassware is presented in clear, blue smoke, gray smoke, or opal matt together with a contrast antique gold metalware.

Overview

Item Type Table Lamps (TL)

UsageCommercial,Interior,ResidentialBy RoomBedroom,Living Room,Office

Color / Material

Fixture MaterialMetalShade MaterialGlass

Size

Fixture Diameter (cm) 200.0 Fixture Height (cm) 35.0

Cable Length (cm) 180 (30+Inline Switch+150)

Specification

Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNoDimmableNoIP ratingIP20Lead and PlugYesApprovalsRCM

Approvals RCM (C TICK)

Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Warranty 3 Years


Data Sheet



<u>Barcode</u>

GTIN 9329501057407

Image -dimensions



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Telbix.







All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.