

Last modification

2021-04-14

STOW SQ-SL.850

9329501041925



Overview

Family name	Stow
Item Type	Downlight (DL),Wall Light (WL)
Mounting	Recess
Usage	Interior

Color / Material

Fixture Color 1	Silver
Glass Finish	Matte
Diffuser Colour	Opal
Diffuser Material	Polycarbonate

Size

Fixture Length (cm)	8.5
Fixture Width (cm)	8.5
Fixture Height (cm)	2.5
Base Diameter (cm)	7.0
Base Length (cm)	6.5
Base Width (cm)	6.5
Base Height (cm)	0.5

Specification

Voltage Input	240V
Wattage (max)	3
Wattage	3W
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	200
Color Temperature	Cool White
Color Kelvin	5000k
Color Rendering	>80
Dimmable	No

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Power Factor	>0.50
Current Output	300
IP rating	IP20
Approvals	AS/NZS 60598.1.2003
Assembly Required	No
Installation Required	Yes (by Licensed Electrician only)
Warranty	3

Barcode

GTIN	9329501041925
-------------	---------------

Pricing

PRICE - RRP incGST	37.0
---------------------------	------

Image -dimensions



